




nisarg light[®]

DESIGNED FOR SMART LIVING

LED COLLECTION
CATALOGUE 2024

ABOUT US

NIRVANA LIGHT® a luminaire company established in the year 2011. The company has gradually expanded its operations to an integrated lighting solution provider under one roof. Our quest for innovation and obsession for high quality has made us a leading provider of LED luminaires, providing an extensive range of fittings and fixtures at the most effective cost.

NIRVANA LIGHT® employs highly skilled technical staff supported by a team of Designers and Engineers and is backed by a fully equipped workshop entailing the most advanced technology. Thus, it has developed for itself an excellent reputation among leading Architects and Designers across India.

For us a Luminaire is more than a fixture that emits light, it is an epitome of our research and passion for our Innovation.

Light and NIRVANA: Light provides energy to all things in the natural world. Artificial light also creates value by adding beauty and functionality in such human-made environments as architectural spaces, interiors and landscapes. Innovation is our pursuit. Superior quality of light is our insistence. But, what defines NIRVANA is the deep enthusiasm and love for light.

Realize Green: Being environmentally conscious company it influences our entire product development. Our practice from the selection of materials, packaging to light sources reflects our respect for our environment. We at **NIRVANA LIGHT®** are committed to go into the relationship between the properties of light and Earth's environment in order to create an abundant next generation environment by using energy efficiently, rather than resorting to a fundamentally negative energy-saving approach. Our NIRVANA product collections contribute to the sustain ability of our planet thanks to their superior quality and lasting performance.

Internationally Advanced Design: **NIRVANA LIGHT®** is committed to high quality luminaire design & development. Our luminaires are equipped with advanced technology and aesthetic design, which matches Indian customers' demands and designers taste in lighting application.

Creativity, Quality and Elegance: These are the attributes that describe the new collections launched by NIRVANA, the fruits of eight years of hard work and dedication of entire Nirvana Team. Our Designers & Engineers with the support of our consultants have created these state-of-the-art collections by adopting new technology and new materials without sacrificing our core values of Creativity, Quantity and Elegance.

MAKE IN INDIA

Across India, Citizens are connecting with local businesses having manufacturing base in India. Inspired by the Prime Minister's word, we have ingrained the "Make in India" philosophy in our operations. We believe in manufacturing, outsourcing components from local manufacturers and selling the best quality LED lights, thereby, not only earning recognition for our company but also our Motherland - India.



FACTORY



ASSEMBLY AREA



TESTING FACILITY



PU PAINT



POWDER COATING



CNC MACHINE

INDEX

INDOOR LIGHTING

LED COB SPOT LIGHT	04-08
LED SURFACE/SUSPENDED SPOT LIGHT	10
LED BACKLIT / PANEL SMD DOWN LIGHT	12-14
LED TRACK LIGHT	16-17
LED FLEXIBLE STRIP LIGHT & POWER SUPPLY	19
NEON FLEX	20
EMPTY ALUMINUM PROFILE	21-22
MAGNETIC SERIES	23-24

OUTDOOR LIGHTING

LED WALL LIGHT	26-27
LED CEILING SURFACE LIGHT	28
LED WALL UP-DOWN LIGHT	28-30
FLOOR WASHER	32-33
COLUMN LIGHT (GATE LIGHT)	34
LED SPIKE / GARDEN LIGHT	35
LED BOLLARD LIGHT	37-40
MODERN POLE LIGHT	42-45
CLASSIC POLE LIGHT	46-47
POST TOP	48
LED FLOOD LIGHT	50
LED STREET LIGHT	52-54
LED HIGHBAY LIGHT	55
IP RATED CEILING/WALL LIGHT	56-57
SPECIAL PROMOTIONAL ITEMS	58-61
TERMS & CONDITIONS	65



NISARG DIGI-NEST WIRELESS INTELLIGENT LIGHTING

Nisarg Light – A Leap into Digitally Connected Lighting world

Nisarg “Digi-Nest” an intelligent Digital Nest which facilitates inter-connection of lighting fixtures through Internet and transforms the way we Light our Dream Home. You would fall in love with Nisarg “Digi Nest’s” user-friendly mobile app and its smart lighting system.

Nisarg “Digi Nest” is an app based Lighting technology designed to give a “Connected” lighting experience in complete sync with your Lighting mood and the required ambience. It is app based wireless solution which ensures better Energy Efficiency and Ease of Use. This may include high efficiency fixtures and automated controls to turn on or dim the lights without leaving your sofa or change the mood by switching from Warmer to cooler light (Tune from 2700k – 6500k).


App Based Control
Available



Energy
Efficient



Bluetooth
low energy
mesh



App Control



Create you
own Ambiance

FAITH

nisarg light[®]
DESIGNED FOR SMART LIVING

LED COB SPOT LIGHT NL 1175-N



Features

- Rose Gold/White/Shining Black/Matt Black
- Slim Trim Design
- High PF Driver
- Protection Rating : IP20
- CRI > 80
- CCT : 3K, 4K, 6K, TW
- Supported by Digi-Nest
- Long Life & Low Maintenance

LED COB SPOT LIGHT



STAR



NL 1010A

10W COB LED Lamp
CCT : 3K/4K/6K/TW
IP20
D: 50mm
H: 58mm

SINGLE 10W
TW RF 10W

NL 1012A

13W COB LED Lamp
CCT : 3K/4K/6K/TW
IP20
D: 50mm
H: 100mm

SINGLE 13W
TW RF 13W

BLAZE



NL 1142-7W

7W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP 20
D: 75mm | H : 70mm | C : 65mm
Finish: White / Black
Reflector : Rose Gold/Gold/
Chrome/Satin Black/White/Black

SINGLE 7W
TW RF 7W

NL 1142-13W

13W COB LED Spot Light
CCT : 3K/4K/6K//TW | IP20
D:85mm | H :75mm | C :75mm
Finish: White / Black
Reflector : Rose Gold/Gold/
Chrome/Satin Black/White/Black

SINGLE 13W
TW RF 13W

NL 1142-15W

15W COB LED Spot Light
CCT : 3K/4K/6K//TW | IP20
D:85mm | H :75mm | C :75mm
Finish: White / Black
Re flector : Rose Gold/Gold/
Chrome/Satin Black/White/Black

SINGLE 15W
TW RF 15W

**"It is during our darkest moments
that we must focus to see the light."**

- ARISTOTLE ONASSIS

TUNABLE REMOTE / CONTROL PANEL

A



B



A RF Tunable Controller For Above
Tunable Light Fixtures

B RF Bluetooth Mesh/ Bridge

**Small lights
Have a way of being seen
in a dark world.**

- NEAL A. MAXWELL



LED COB SPOT LIGHT

FAITH



NL 1159-7W

7W COB LED Adjustable Spot Light
CCT : 3K/4K/6K/TW | IP20
D: 62mm | H : 43mm | C : 55mm
Finish:
WH Body+Rose Gold/BKRef.
BK Body+Rose Gold/BK Ref

SINGLE	7W
TW RF	7W

NL 1159-12W

12W COB LED Adjustable Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 82mm | H : 45mm | C : 75mm
Finish:
WH Body+Rose Gold/BKRef.
BK Body+Rose Gold/BK Ref

SINGLE	12W
TW RF	12W

NL 1159-18W

18W COB LED Adjustable Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 105mm | H : 49mm | C : 95mm
Finish:
WH Body+Rose Gold/BKRef.
BK Body+Rose Gold/BK Ref

SINGLE	18W
TW RF	18W

Where there is darkness,
let there be light.

Francis of Assisi

NEW

CAPA



NL 1187-9W

9W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 60mm | H : 48mm | C : 52mm
Finish: White

SINGLE	9W
TW RF	9W

NL 1187-20W

20W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D: 80mm | H: 64mm | C: 72mm
Finish: White

SINGLE	20W
TW RF	20W

NL 1187-15W

15W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 70mm | H : 51mm | C : 60mm
Finish: White

SINGLE	15W
SINGLE	15W

NEW

BAKU



NL 1188-15W

15W COB LED Spot Light
Colour : 3K/4K/6K/TW | IP20
D : 72mm | H: 75mm | C: 66mm
Finish: White

SINGLE	15W
TW RF	15W

ADORE



NL 1174-9W

9W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D: 65mm | H : 60mm | C : 54mm
Finish : WH / BK

SINGLE	9W
TW RF	9W

KIEV



NL 1178-7W

NL 1178-11W

NL 1178-7W

7W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 40mm | H : 58mm |
C : 35mm
Finish : WH / BK

SINGLE	7W
TW RF	7W

NL 1178-11W

11W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 60mm | H : 88mm |
C : 52mm
Finish : WH / BK

SINGLE	11W
TW RF	11W

ULAN



NL 1179-7W

NL 1179-11W

NL 1179-7W

7W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 57mm | H : 72mm | C : 48mm
Finish : WH / BK

SINGLE	7W
TW RF	7W

NL 1179-11W

11W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 68mm | H : 80mm | C : 58mm
Finish : WH / BK

SINGLE	11W
TW RF	11W



LED COB SPOT LIGHT



NL 1186-7W

7W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 39mm | H : 52mm | C : 35mm
Finish:
White Body + Grey Inner

SINGLE 7W

TW RF 7W

NL 1186-18W

18W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 80mm | H : 73mm | C : 75mm
Finish:
White Body + Grey Inner

SINGLE 18W

TW RF 18W

NL 1186-12W

12W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 60mm | H : 63mm | C : 55mm
Finish:
White Body + Grey Inner

SINGLE 12W

TW RF 12W



NL 1035-10W

10W COB LED Spot Light
CCT : 3K/4K/6K/TW | IP20
D : 82mm | H : 80mm |
C : 72mm
Finish : White

SINGLE 10W

TW RF 10W



NL 1173-12W

12W LED Wall Washer
CCT : 3K/4K/6K/TW | IP20
D : 85mm | H : 70mm | C : 72mm
Finish : WH / BK

SINGLE 12W

TW RF 12W

NL 1173-20W

20W LED Wall Washer
CCT : 3K/4K/6K/TW | IP20
D : 108mm | H : 86mm | C : 92mm
Finish : WH / BK

SINGLE 20W

TW RF 20W



NL 2221N-3W

3W COB LED Spot Light
CCT : 3K | IP20
Finish : White
D : 42mm | H : 30mm | C : 32mm

3W

NL 1223-3W

3W COB LED Spot Light
CCT : 3K | IP20
Finish : White / Black
D : 37mm | H : 29mm |
C : 30mm

3W



NL 2191-3W

3W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 68mm | H : 36mm |
C : Ø55mm
Finish : White

3W

NL 2192-7W

7W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 84mm | H : 48mm |
C : Ø75mm
Finish : White

7W

NL 2192-12W

12W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 99mm | H : 58mm |
C : Ø85mm
Finish : White

12W

NL 2192-18W

18W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 108mm | H : 68mm |
C : Ø100mm
Finish : White

18W

NL 2192-24W

24W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 136mm | H : 80mm |
C : Ø115mm
Finish : White

24W

NL 2192-30W

30W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 136mm | H : 80mm |
C : Ø125mm
Finish : White

30W

NL 2192-40W

40W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 160mm | H : 102mm |
C : Ø145mm
Finish : White

40W

NL 2192-50W

50W COB LED Adjustable Spot Light
CCT - 3K/4K | IP20
D : 160mm | H : 108mm |
C : Ø145mm
Finish : White

50W

LED COB SPOT LIGHT

DREAM




NL 1190-5 -10W

10W LED Recessed Spot Light
CCT : 3K/4K | IP20
D : 146x45mm | H : 42mm |
C : 137x35mm
Finish : White | Black
SINGLE 10W
TW RF 10W

"The way we light a set can change the mood of the scene."
- James Cameron

NEW



NL 1190-3-CR -8W

8W LED Recessed Spot Light
CCT : 3K/4K | IP20
D : 105x45mm | H : 42mm |
C : 95x35mm
Finish : White / Black | Reflector : Satin Black
SINGLE 8W

NL 1190-5-CR-12W

12W LED Recessed Spot Light
CCT : 3K/4K | IP20
D : 146x45mm | H : 42mm |
C : 137x35mm
Finish : White / Black | Reflector : Satin Black
SINGLE 12W
TW RF 12W


NEW



NL 1193-3-6W



NL 1193-6-12W



NL 1193-9-18W

NL 1193-3-6W

6W LED Recessed Spot Light
CCT : 3K/4K | IP20
D : 73x33mm | H : 40mm | C : 66x25mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
6W

NL 1193-6-12W

12W LED Recessed Spot Light
CCT : 3K/4K | IP20
D : 134x33mm | H : 40mm | C : 125x25mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
12W

NL 1193-9-18W

18W LED Recessed Spot Light
CCT : 3K/4K | IP20
D : 73x73mm | H : 40mm | C : 65x65mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
18W

Light, like love, is a great healer."
- Unknown

MICRON



NL 1191-6W



NL 1191-12W



NL 1192-8W



NL 1192-18W

NL 1191-6W

6W Recessed Spot Light
CCT : 3K/4K | IP20
D : 73x33mm | H : 40mm | C : 66x25mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
6W

NL 1191-12W

12W Recessed Spot Light
CCT : 3K/4K | IP20
D : 134x33mm | H : 40mm | C : 125x25mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
12W

NL 1192-8W

8W Recessed Spot Light
CCT : 3K/4K | IP20
D : 55x55mm | H : 35mm | C : 45x45mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
8W

NL 1192-18W

18W Recessed Spot Light
CCT : 3K/4K | IP20
D : 73x73mm | H : 40mm | C : 65x65mm
Finish : White/Black
Reflector : Gun Metal Black/Rose Gold
18W

GIMBO



NL 1112



NL 1113

NL 1112-10W

10W COB LED Adjustable Spot Light
CCT : 3K/4K | IP20
D : 90x90 mm | H : 70mm |
C : 72x72mm
Finish : White
SINGLE 10W
TW RF 10W

NL 1113- 2x10W

2X10W COB LED Adjustable Spot Light
CCT : 3K/4K | IP20
D : 160x90mm | H : 70mm |
C : 148x74mm
Finish : White
SINGLE 2x10W
TW RF 2x10W



TORCH

nisarg light[®]
DESIGNED FOR SMART LIVING

LED COB SURFACE / SUSPENDED LIGHT NL 1156



Features

- Aluminium Housing
- Rose Gold reflector
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP20
- CRI > 80
- CCT : 3K, 4K, 6K
- Long Life & Low Maintenance

LED COB SURFACE / SUSPENDED LIGHT



NL 1165-7W
7W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 54mm | H : 80mm
Body : White | Black
Reflector : Silver Chrome | Rose Gold

NL 1165-12W
12W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 74mm | H : 110mm
Body : White | Black
Reflector : Silver Chrome | Rose Gold

NL 1165-18W
18W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 94mm | H : 130mm
Body : White | Black
Reflector : Silver Chrome | Rose Gold



NL 1156- 7W
7W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 52mm | H : 90mm
Black Body + Rose Gold

NL 1156S- 7W
7W COB LED Ceiling Suspended Light
Spot Light, CCT -3K/4K/6K | IP20
D : 52mm | H : 90mm
Black Body + Rose Gold
1 MTR Suspension Cable Included

NL 1145- 15W
15W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 80mm | H : 150mm
White Body + Rose Gold
Black Body + Rose Gold

NL 1145S- 15W
15W COB LED Ceiling Suspended Light
Spot Light, CCT -3K/4K/6K | IP20
D : 80mm | H : 150mm
White Body + Rose Gold
Black Body + Rose Gold
1 MTR Suspension Cable Included



NL 1155- 25W
25W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 95mm | H : 180mm
White Body + Chrome Ref.
Black Body + Chrome Ref.



NL 1155S- 25W
25W COB LED Ceiling Suspended Light
Spot Light, CCT -3K/4K/6K | IP20
D : 95mm | H : 180mm
White Body + Chrome Ref.
Black Body + Chrome Ref.
1 MTR Suspension Cable Included



NL 1160-7W
7W COB LED Surface Light
CCT : 3K/4K/6K | IP20
D : 58mm | H : 70mm
Finish:
White Body + Black Reflector

NL 1160-12W
12W COB LED Surface Light
CCT : 3K/4K/6K | IP20
D : 92mm | H : 60mm
Finish:
White Body + Black Reflector

NL 1160-18W
18W COB LED Surface Light
CCT : 3K/4K/6K | IP20
D : 102mm | H : 65mm
Finish:
White Body + Black Reflector



NL 1157-7W
7W COB LED Ceiling Surface Light
CCT : 3K/4K/6K | IP20
D : 55mm | H : 60mm
Finish:
White Body/ Black Body
Reflector : Black

NL 1157-12W
12W COB LED Ceiling Surface Light
CCT : 3K/4K/6K | IP20
D : 68mm | H : 68mm
Finish:
White Body/ Black Body
Reflector : Black




NL 1146- 15W
15W COB LED Ceiling Surface Light
Mounted Spot Light
CCT -3K/4K/6K | IP20
D : 75x75mm | H : 95mm
White Body + Rose Gold Ref.
Black Body + Rose Gold Ref.

NL 1146S- 15W
15W COB LED Ceiling Suspended Light
Spot Light, CCT -3K/4K/6K | IP20
D : 75x75mm | H : 95mm
White Body + Rose Gold Ref.
Black Body + Rose Gold Ref.
1 MTR Suspension Cable Included

MIRRO

nisarg light[®]
DESIGNED FOR SMART LIVING

SMD LED SURFACE DOWN LIGHT NL 2355



Features

- Aluminium Die Cast Housing
- Uniform Glow
- High PF Driver
- Protection Rating : IP20
- CRI > 80
- CCT : 3K, 4K, 6K, TW
- Long Life & Low Maintenance

SMD LED DOWN LIGHT



TRUE



NL 2357N-8W

8W SMD LED Downlight

CCT : 3K/4K/6K | IP20

D : 70mm | H : 55mm |

C : 60mm

Finish : White / Black

SINGLE

8W

NL 2357N-15W

15W SMD LED Downlight

CCT : 3K/4K/6K | IP20

D : 88mm | H : 60mm |

C : 75mm

Finish : White / Black

SINGLE

15W

NL 2357N-20W

20W SMD LED Downlight

CCT : 3K/4K/6K | IP20

D : 98mm | H : 65mm |

C : 88mm

Finish : White / Black

SINGLE

20W

FLARE



NL 2251

12W SMD LED Ceiling Deep Recessed Down Light

CCT Temp : 3K/4K/6K/TW | IP20

LED : 

D : 119mm | H : 50 mm | C : 113mm

Finish : White

SINGLE

12W

TW RF

10W

NL 2252

18W SMD LED Ceiling Deep Recessed Down Light

CCT Temp : 3K/4K/6K/TW | IP20

LED : 

D : 155mm | H : 53mm | C : 147mm

Finish : White

SINGLE

18W


TW RF

15W

NL 2253

24W SMD LED Ceiling Deep Recessed Down Light

CCT Temp : 3K/4K/6K/TW | IP20

LED : 

D : 175mm | H : 56mm | C : 167mm

Finish : White

SINGLE

24W

TW RF

24W

12W

NL 2251

18W

NL 2252

24W

NL 2253

"Light is the key
that sets us free."

-Louise Hay

12

www.nirvanalighting.in/nisarg

SMD LED DOWN LIGHT

NEW

FLOW



NL 2358-12W

12W SMD LED Deep Recessed Down Light
CCT : 3K/4K/6K | IP20
D : 125mm | H : 45mm | C : 115mm
Finish : White

SINGLE 12W

NL 2358-18W

18W SMD LED Deep Recessed Down Light
CCT : 3K/4K/6K | IP20
D : 155mm | H : 45mm | C : 145mm
Finish : White

SINGLE 18W

NL 2358-24W

24W SMD LED Deep Recessed Down Light
CCT : 3K/4K/6K | IP20
D : 175mm | H : 50mm | C : 165mm
Finish : White

SINGLE 24W

"Light is the most beautiful fashion statement for any room."
- Kelly Wearstler

NEW

SLINA



NL 2359-12W

12W SMD LED Ceiling Recessed Down Light
CCT : 3K/4K/6K | IP20
D : 108mm | H : 24mm | C : 100mm
Finish : White / Black

SINGLE 12W

NL 2359-18W

18W SMD LED Ceiling Recessed Down Light
CCT : 3K/4K/6K | IP20
D : 133mm | H : 24mm | C : 125mm
Finish : White / Black

SINGLE 18W

NL 2359-24W

24W SMD LED Ceiling Recessed Down Light
CCT : 3K/4K/6K | IP20
D : 158mm | H : 24mm | C : 150mm
Finish : White / Black

SINGLE 24W

"The way we see the world is a result of the light we choose to use."
- Sam Hurd

NEW

MIRRO



NL 2355-7W

7W SMD LED Surface Down Light
CCT : 3K/4K/6K | IP20
D : 55mm | H : 46mm
Finish : White / Black

SINGLE 7W

NL 2355-12W

12W SMD LED Surface Down Light
CCT : 3K/4K/6K | IP20
D : 80mm | H : 48mm
Finish : White / Black

SINGLE 12W

NL 2355-18W

18W SMD LED Surface Down Light
CCT : 3K/4K/6K | IP20
D : 100mm | H : 50mm
Finish : White / Black

SINGLE 18W

NL 2355-24W

24W SMD LED Surface Down Light
CCT : 3K/4K/6K | IP20
D : 125mm | H : 50mm
Finish : White / Black

SINGLE 24W



SMD LED PANEL LIGHT

GLORY 	NL 2351R-7W 7W SMD LED Recessed Panel Light CCT : 4K/6K IP20 D : 120mm H : 30mm C : 108mm Finish : White SINGLE 7W	NL 2351 SQ-7W 7W SMD LED Recessed Panel Light CCT : 4K/6K IP20 D : 120x120mm H : 30mm C : 106x106mm Finish : White SINGLE 7W
	NL 2351R-15W 15W SMD LED Recessed Panel Light CCT : 4K/6K IP20 D : 170mm H : 30mm C : 156mm Finish : White SINGLE 15W CCT SW 15W	NL 2351 SQ-15W 15W SMD LED Recessed Panel Light CCT : 4K/6K IP20 D : 170x170mm H : 30mm C : 156x156mm Finish : White SINGLE 15W CCT SW 15W
	NL 2351R-22W 22W SMD LED Recessed Panel Light CCT : 4K/6K IP20 D : 225mm H : 30mm C : 205mm Finish : White SINGLE 22W	NL 2351 SQ-22W 22W SMD LED Recessed Panel Light CCT : 4K/6K IP20 D : 225x225mm H : 30mm C : 205x205mm Finish : White SINGLE 22W
PLATEAU 	NL 2353R-7W 7W SMD LED Surface Panel Light CCT : 4K/6K IP20 D : 110mm H : 30mm Finish : White SINGLE 7W	NL 2353SQ-7W 7W SMD LED Surface Panel Light CCT : 4K/6K IP20 D : 110x110mm H : 30mm Finish : White SINGLE 7W
	NL 2353R-15W 15W SMD LED Surface Panel Light CCT : 4K/6K IP20 D : 160mm H : 30mm Finish : White SINGLE 15W CCT SW 15W	NL 2353SQ-15W 15W SMD LED Surface Panel Light CCT : 4K/6K IP20 D : 160x160mm H : 30mm Finish : White SINGLE 15W CCT SW 15W
	NL 2353R-22W 22W SMD LED Surface Panel Light CCT : 4K/6K IP20 D : 225mm H : 30mm Finish : White SINGLE 22W	NL 2353SQ-22W 22W SMD LED Surface Panel Light CCT : 4K/6K IP20 D : 225x225mm H : 30mm Finish : White SINGLE 22W
TWILIGHT 	NL 2354R-9W 9W SMD LED Slim Trim Panel Light PC Body CCT : 4K/6K IP20 D : 115mm H : 30 C : 100mm Finish : White SINGLE 9W	NL 2354 SQ-9W 9W SMD LED Slim Trim Panel Light PC Body CCT : 4K/6K IP20 D : 115x115mm H : 30mm C : 100x100mm Finish : White SINGLE 9W
	NL 2354R-15W 15W SMD LED Slim Trim Panel Light PC Body CCT : 4K/6K IP20 D : 165mm H : 30mm C : 149mm Finish : White SINGLE 15W CCT SW 15W	NL 2354 SQ-15W 15W MD LED Slim Trim Panel Light PC Body CCT : 4K/6K IP20 D : 165x165mm H : 30mm C : 149x149mm Finish : White SINGLE 15W CCT SW 15W
	NL 2354R-22W 22W MD LED Slim Trim Panel Light PC Body CCT : 4K/6K IP20 D : 220mm H : 30mm C : 204mm Finish : White SINGLE 22W	NL 2354 SQ-22W 22W MD LED Slim Trim Panel Light PC Body CCT : 4K/6K IP20 D : 220x220mm H : 30mm C : 204x204mm Finish : White SINGLE 22W
GRID 	NL 2237 36W SMD LED 2x2 Backlit Light CCT : 4K/6K IP20 D : 595x595mm H : 30mm Finish : White Recessed Mounting Clips for 2237(Set of 4 Pcs) 36W #Transportation Charges would be extra at actuals (1 Year Warranty)	NL 2354R-9W NL 2354R-15W NL 2354R-22W NL 2354SQ-9W NL 2354SQ-15W NL 2354SQ-22W SURFACE ACCESSORIES Surface PC Ring For Round & Square PC Panel GST@18%

RAY

nisarg light®
DESIGNED FOR SMART LIVING



LED SURFACE TRACK LIGHT NL 1357



Features

- Aluminium Die Cast Housing
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP20
- CRI > 80
- Colour Options : 3K, 4K, 6K
- Long Life & Low Maintenance

SINGLE CIRCUIT LED TRACK LIGHT

RAY 	NL 1334-24W 24W COB LED Track Light CCT : 3K/4K/6K IP20 D: 100mm H: 130mm Finish : White / Black	SINGLE 24W TW RF 24W	NL 1334-30W 30W COB LED Track Light CCT : 3K/4K/6K IP20 D: 100mm H: 130mm Finish : White / Black	SINGLE 30W TW RF 30W
	NL 1343-30W 30W COB LED Track Light CCT : 3K/4K/6K IP20 D: 90mm H: 175mm Finish : White / Black	SINGLE 30W TW RF 30W	NL 1343-40W 40W COB LED Track Light CCT : 3K/4K/6K IP20 D: 90mm H: 175mm Finish : White / Black	SINGLE 40W TW RF 40W
POWER 	NL 1338 12W COB LED Track Light CCT : 3K/4K/6K IP20 D: 70mm H: 145mm Finish : White / Black	SINGLE 12W TW RF 12W	NL 1339 20W COB LED Track Light CCT : 3K/4K/6K IP20 D: 87mm H: 175mm Finish : White / Black	SINGLE 20W TW RF 20W
	NL 1340 30W COB LED Track Light CCT : 3K/4K/6K IP20 D: 100mm H: 190mm Finish : White / Black	SINGLE 30W TW 30W	 If you light a lamp for somebody, it will also bright your path.	
	NL 1338S 12W COB LED Surface Mounted Light CCT : 3K/4K/6K IP20 D: 70mm H: 145mm Finish : White / Black	SINGLE 12W TW RF 12W	NL 1339S 20W COB LED Surface Mounted Light CCT : 3K/4K/6K IP20 D: 87mm H: 175mm Finish : White / Black	SINGLE 20W TW RF 20W
	NL 1340S 30W COB LED Surface Mounted Light CCT : 3K/4K/6K IP20 D: 100mm H: 190mm Finish : White / Black	SINGLE 30W TW RF 30W	 1M TRACK 1M TRACK Single Circuit Track Channel For Track Light 2M TRACK 2M TRACK	
NEW CAVE 	NL 1357-12W 12W COB LED Track Light CCT : 3K/4K/6K IP20 D: 55mm H: 125mm Finish : White	12W	NL 1357-20W 20W COB LED Track Light CCT : 3K/4K/6K IP20 D: 70mm H: 135mm Finish : White	SINGLE 20W
	NL 1357-30W 30W COB LED Track Light CCT : 3K/4K/6K IP20 D: 90mm H: 145mm Finish : White	SINGLE 30W	NL 1357-50W 50W COB LED Track Light CCT : 3K/4K/6K IP20 D: 90mm H: 145mm Finish : White	SINGLE 50W
 KNOW WHAT SPARKS THE LIGHT IN YOU. THEN USE THAT LIGHT TO ILLUMINATE THE WORLD - OPRAH				

SINGLE CIRCUIT LED TRACK LIGHT

NEW

ZOOM



NL 1358-12W 12W COB LED Track Light CCT : 3K/4K/6K IP20 D: 50mm H: 135mm Finish : White / Black	12W
NL 1358-18W 18W COB LED Track Light CCT : 3K/4K/6K IP20 D: 60mm H: 150mm Finish : White / Black	18W
NL 1358-24W 24W COB LED Track Light CCT : 3K/4K/6K IP20 D: 80mm H: 150mm Finish : White / Black	24W
NL 1358-30W 30W COB LED Track Light CCT : 3K/4K/6K IP20 D: 80mm H: 180mm Finish : White / Black	30W
NL 1358-35W 35W COB LED Track Light CCT : 3K/4K/6K IP20 D: 90mm H: 180mm Finish : White / Black	35W
NL 1358-40W 40W COB LED Track Light CCT : 3K/4K/6K IP20 D: 100mm H: 180mm Finish : White / Black	40W

LED SUSPENDED PROFILE

NEW

SALINE




NL 5130-36W 36W/4Feet LED Suspended Profile Light Aluminum Body Colour: 3K/4K/6K IP20 Body Colour: White Black LxBxH - 1200x50x70mm	36W/4ft
NL 5130-72W 72W/8Feet LED Suspended Profile Light Aluminum Extrusion Body Colour: 3K/4K/6K IP20 Body Colour: White Black LxBxH - 2400x50x70mm	72W/8Ft



RIBBON

nisarg light[®]
DESIGNED FOR SMART LIVING

LED FLEXIBLE STRIP LIGHT NL 5052



Features

- SMD LED Flexible Strip
- 2835 SMD LED
- Protection Rating : IP20
- Colour Options : 3K, 4K, 6K, TW, Amber, Blue
- Self Adhesive Tape on Back
- Supported by Digi-Nest
- Long Life & Low Maintenance
- 12V DC / 24V DC Constant Voltage
- Overload and Short Circuit Protection

RIBBON



NL 5051

5W/Mtr 2835 SMD LED Flexible Strip
60LED/Mtr | IP20 | **10mm**
CCT : 3K/4K/Blue
Operating Voltage : 12V DC
5 Mtr Roll

NL 5052

12W/Mtr 2835 SMD LED Flexible Strip
120LED/Mtr | IP20 | **10mm**
CCT : 12V DC - 2.7K/3K/4K/Blue/Amber
24V DC - 3K/4K
5 Mtr Roll

NL 5053

18W/Mtr 2835 SMD LED Flexible Strip
168LED/Mtr | IP20 | **10mm**
CCT: 3K/4K/6K 18W
Operating Voltage: 24V DC
5Mtr Roll

NL 5054

24W/Mtr 2835 SMD LED Flexible Strip
240LED/Mtr | IP20 | **10mm**
CCT : 3K/4K/6K
Operating Voltage : 24V DC
5 Mtr Roll

NL 5056

12W/Mtr 2835 SMD LED Flexible Strip
120LED/Mtr | IP20 | **10mm**
CCT : 3K/4K
Operating Voltage : 12V DC
5 Mtr Roll

NL 5057

12W/Mtr 2835 SMD LED Flexible Strip
120LED/Mtr | IP20 | **5mm**
CCT : 3K/4K
Operating Voltage : 12V DC
5 Mtr Roll

NI 5058

15W/Mtr 2835 SMD LED Flexible Strip
240LED/Mtr | IP20 | **10mm**
CCT: 3K/4K/6K
Operating Voltage: 12V DC
5Mtr Roll



NL 5059

12W/Mtr 2835 SMD LED Flexible Strip
120LED/Mtr | IP20 | **10mm**
CCT: **Tunable White**
Operating Voltage: 12V DC
5Mtr Roll

NL 5060

18W/Mtr 2835 SMD LED Flexible Strip
168LED/Mtr | IP20 | **10mm**
CCT: **Tunable White** 18W
Operating Voltage: 12V DC
5Mtr Roll

NL 5037

12W/Mtr SMD LED Flexible Outdoor Strip Light
120LED/Mtr | IP65
CCT : 3000K | 4000K 12W
Operating Voltage : 24V DC
5Mtr Roll

Keep Shining.
The world needs your light.

LED Driver
For Strip Light
Non Dimmable,
IP20
12V DC

NL PS1-1202	24W
NL PS1-1203	36W
NL PS1-1205	60W
NL PS1-1206	78W
NL PS1-1208	100W
NL PS1-1210	120W
NL PS1-1215	180W
NL PS1-1220	240W

LED Driver
For Strip Light
Non Dimmable,
IP20
24V DC




NL PS1-2402	48W
NL PS1-2403	75W
NL PS1-2405	120W
NL PS1-2408	192W
NL PS1-2410	240W

TRIAC Controller For LED Strip

RF Tunable Controller For LED Strip 12V/24V -10-15A

Be the Light.

NEON FLEX (EMPTY)

 NL 6043 NL 6047	NL 6043 Neon Flex IP65 Suggested Strip - 5mm Size:- LxBxH - 1000x12x12mm 5Mtr Roll  Side Bending	NL 6047 Neon Flex IP65 Suggested Strip - 8mm Size:- LxBxH - 1000x12x12mm 5Mtr Roll  Top Bending
 NL 6048	NL 6048 Neon Flex IP65 Suggested Strip - 10mm Size:- LxBxH - 1000x16x16mm 5Mtr Roll  Top Bending	 Top Bending Side Bending



ACCESSORIES


	Live End & End Cap For Neon Flex	 "In the world of light, everything is possible." -Louis Pasteur
	Aluminum Clip (Price for Single Clamp)	
	Aluminum Fixed Profile Aluminum Flexible Profile	

*NOT SUITABLE FOR UNDERWATER APPLICATION
*STRIP, POWER SUPPLY & ACCESSORIES COST EXTRA




PROFILE

SURFACE ALUMINUM EMPTY PROFILE



NL 5101

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 7.6mm x 9mm




NL 5102

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 9.5mm x 12.7mm



NL 5103

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 17.5mm x 6.65mm



NL 5104

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 16.8mm x 14.3mm



NL 5106

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 22.2 mm x 9.6mm



NL 5108

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 35mm x 20mm



NL 5109

Surface Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 50 mm x 20mm



NL 5120

Triangular Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 15.5mm x 15.5mm



PROFILE

RECESSED ALUMINUM EMPTY PROFILE



NL 5111

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 11.2mm x 9mm




NL 5112

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 13.5mm x 12.7mm



NL 5113

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 23.81mm x 6.65mm




NL 5114

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 24.2mm x 14.3mm



NL 5115

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 30.2 mm x 9.6mm



NL 5116

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 39.6mm x 26mm



NL 5117

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 50 mm x 20mm



NL 5118

Recessed Aluminum Profile
Max. Length:- 2Mtr
Milky Diffuser | Finish : Anodized Silver
LxBxH -2000mm x 65mm x 20mm

MAGNETIC EM25 SERIES

NEW

ESSENZA



SURFACE/SUSPENDED

NL EM25 S 100

Surface Magnetic Track Channel
Finish: Black | IP20
L: 1000mm | BxH: 25x45mm
Operating Voltage : 48V DC
Power Supply Not Included

NL EM25 S 200

Surface Magnetic Track Channel
Finish: Black | IP20
L: 2000mm | BxH: 25x45mm
Operating Voltage: 48V DC
Power Supply Not Included

NL EM25 S 300

Surface Magnetic Track Channel
Finish: Black | IP20
L: 3000mm | BxH: 25x45mm
Operating Voltage : 48V DC
Power Supply Not Included



NEW



TRIMLESS

NL EM25 R 100

Recessed Magnetic Track Channel
Finish:Black | IP20
L: 1000mm | BxH: 25x45mm
Operating Voltage : 48V DC
Power Supply Not Included

NL EM25 R 200

Recessed Magnetic Track Channel
Finish: Black | IP20
L: 2000mm | BxH: 25x45mm
Operating Voltage: 48V DC
Power Supply Not Included

NL EM25 R 300

Recessed Magnetic Track Channel
Finish:Black | IP20
L: 3000mm | BxH: 54x45mm
Operating Voltage : 48V DC
Power Supply Not Included



NL EM25 ST06

6W Linear Magnetic Track Spot Light
CCT 3K/4K/TW | IP20
Operating Voltage : 48V Dc
LxBxH : 108x22x25mm
Finish : Black

Single

TW

NL EM25 ST12

12W Linear Magnetic Track Spot Light
CCTr: 3K/4K/TW | IP20
Operating Voltage : 48V Dc
LxBxH : 215x22x25mm
Finish : Black

Single


TW

NL EM25 ST18

18W Linear Magnetic Track Spot Light
Colour: 3K/4K | IP20
Operative Voltage : 48V DC
LxBxH : 322x22x25mm
Finish :Black

Single

"Light is not just a physical presence,
but a symbol of hope and warmth."



NL EM25 LG10

10W Linear Diffused Magnetic Track Light
CCT : 3K/4K/TW | IP20
Operating Voltage : 48V Dc
LxBxH : 300x22x25mm
Finish : Black

Single

TW

NL EM25 LG20

20W Linear Diffused Magnetic Track Light
CCT : 3K/4K/TW | IP20
Operating Voltage : 48V Dc
LxBxH : 600x22x25mm
Finish : Black

Single

TW



NL EM25 ST06 ADJ

6W Linear Magnetic **Adjustable** Track light
CCT : 3K/4K/TW| IP20
Operating Voltage : 48V Dc
LxBxH : 118x22x75mm
Finish :Black

Single

TW

NL EM25 ST12 ADJ

12W Linear Magnetic **Adjustable** Track Light
CCT : 3K/4K/TW| IP20
Operating Voltage : 48V Dc
LxBxH : 225x22x75mm
Finish : Black

Single

TW



NL EM25 SP10

10W COB LED Magnetic Track Spot Light
CCT : 3K/4K/TW | IP20
D: 48mm | H : 135mm
Operating Voltage : 48V Dc
Finish: Black

Single

TW

NL EM25 SP20



20W COB LED Magnetic Track Spot Light
CCT : 3K/4K | IP20
D: 65mm | H : 160mm
Operating Voltage : 48V Dc
Finish: Black

Single



Two year warranty for all the above products

MAGNETIC EM25 SERIES

	NL EM25 PD10 10W COB Magnetic pendant light Colour : 3K/4K/TW IP20 D: 49mm H: 300mm Operating Voltage : 48V Dc Finish: Black	Single TW	
	NL EM25 PS48-100 48V-100W Power Supply For Magntic Track Light, Non Dimmable	100W	
	NL EM25 PS48-200 48V-200W Power Supply For Magntic Track Light, Non Dimmable	200W	
	NL EM25 PS48-100 - TW 48V-100W Power Supply For Magntic Track Light, Tunable Dimmable	100W	
	NL EM25 PS48-200 - TW 48V-200W Power Supply For Magntic Track Light, Tunable Dimmable	200W	
 NL EM25 CJ	NL EM25 CJ Corner Connect Module For Magnetic Track Channel		
 NL EM25 PC	NL EM25 PC Dc Power Wire For Magnetic Track Channel		 NL EM25 TW REMOTE
	NL EM25 SJ Straight Jointer For Magnetic Track Channel		
 NL EM25 S L90	NL EM25 S L90 90° Corner for Connecting Surface Magnetic Track From Ceiling to Ceiling Installation C to C		 NL EM25 R L90
	NL EM25 R L90 90° Corner for Connecting Recessed Magnetic Track From Ceiling to Ceiling Installation C to C		
	NL EM25 R I90 90° Corner for Connecting Recessed Magnetic Track From Ceiling and Wall (C to W)		
 NL EM25 S EC	End Cap (Set of 2)		
 NL EM25 R EC			
	NL EM25 Suspension Suspension Kit Length: 1Mtr		
	NL EM25 SSR Straight Support R Support Jointer For Recessed Track Light (Set of 2)		
	NL EM25 SSS Straight Support S Support Jointer For Surface Track Light Single Pc		



Two year warranty for all the above products

SCAPE

nisarg light[®]
DESIGNED FOR SMART LIVING


LED OUTDOOR WALL LIGHT NL 4166



Features

- Aluminium Die Cast
- High PF Driver
- Protection Rating : IP65
- CRI > 80
- CCT : 3000K
- In-built Driver

LED OUTDOOR WALL LIGHT

INDIANA  NL 4100 NL 4101	NL 4100 5W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH: 180X112X34mm 5W	NL 4101 5W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH: 160X102X34mm 5W
 NL 4102 NL 4103 Adjustable	NL 4102 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH: 80X78X170mm 9W	NL 4103 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH: 70X78X188mm 9W
 NL 4104 NL 4105	NL 4104 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black O : 145mm / H: 53mm 9W	NL 4105 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 135x135x48mm 9W
AMAZE  NL 4110 NL 4111 NL 4112 NL 4113 NL 4116	NL 4110 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 152X152x88mm 9W	NL 4111 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 74x105x205mm 9W
NL 4112 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 205x105x74mm 9W	NL 4116 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 176x90x80mm 9W	"Light is the source of life, the source of energy, the source of hope." -Unknown
NL 4113 2X3W SMD LED Wall Mounted light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 120X70X116mm 2X3W		
 NL 4106 NL 4107 NL 4108 NL 4109	NL 4106 6W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 140x65x105mm 6W	NL 4107 6W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 140x65x105mm 6W
NL 4108 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 180x80x125mm 9W	NL 4109 9W SMD LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black LxBxH : 180X80x125mm 9W	

All stars are born in the dark and all darkness dies in the light.

LED OUTDOOR WALL LIGHT

NEW MIST  NL 4270 NL 4271	NL 4270 12W LED Wall Light Aluminum + Polycarbonate CCT: 3000K IP65 Finish: Black D : 135mm H-180mm 12W	NL 4271 12W LED Wall Light Aluminum + Polycarbonate CCT: 3000K IP65 Finish: Black D : 110mm H-240mm 12W
NEW TYPHOON 	NL 4272 12W LED Wall Light Aluminum + Polycarbonate CCT: 3000K IP65 Finish: Black D : 180mm H-280mm 12W	DID YOU KNOW?  Lumens are a unit of measurement that measures how much light a light source emits
NEW  NL 4273 NL 4274	NL 4273 6W LED Wall Light Aluminum + Polycarbonate CCT: 3000K IP65 Finish: Black D : 80mm H-110mm 6W	NL 4274 6W LED Wall Light Aluminum + Polycarbonate CCT: 3000K IP65 Finish: Black D : 80mm H-110mm 6W
 *Without Lamp	NL 4248-E27 E27 LED Lamp Wall Light Aluminium Die Cast & Milky Diffuser IP65 Finish: Grey D:175mm H: 220mm	
FIRM 	NL 4011 7W Hi Power LED Wall Mounted Light Aluminium Die Cast & PC Diffuser CCT : 3000k IP54 Finish: Matt Black L: 129mm H : 94mm 7W	
DISC  NL 4249-10W NL 4250-10W	NL 4249-10W 10W LED Wall Light Aluminium Die Cast & Milky Diffuser CCT : 3000K IP65 Finish: Grey D : 155mm H : 220mm 10W	NL 4250-10W 10W LED Lamp Wall Light Aluminium Die Cast & Milky Diffuser CCT : 3000K IP65 Finish: Grey D : 155x155mm H : 220mm 10W
NEW CLOUD  NL 4236 NL 4237	NL 4236-10w 10W LED Outdoor Wall Light Aluminum Die Cast Body Colour: 3000K IP65 Body Colour: Grey D: 150mm H: 50mm 10W	NL 4237-10w 10W LED Outdoor Wall Light Aluminium Die Cast Body Colour: 3000K IP65 Body Colour: Grey D: 150x150mm H: 50mm 10W
NEW  NL 4235	NL 4235- 6W 6W LED Outdoor Wall Light Aluminium Die Cast Body Colour: 3000K IP65 Body Colour: Grey LxBxH-45x240x120mm 6W	
NEW  NL 4233 NL 4234	NL 4233 -15W 15W LED Outdoor Wall Light Aluminum Die Cast Body Colour: 3000K IP65 Body Colour: Grey LxBxH-161x132x108mm 15W	NL 4234-6W 6W LED Outdoor Wall Light Aluminum Die Cast Body Colour: 3000K IP65 Body Colour: Grey LxBxH-100x160x86mm 6W

LED CEILING SURFACE LIGHT



ABOVE



NL 4180

7W COB LED Ceiling Surface Mounted Spot Light
CCT : 3000K | IP65
Finish: Black
D: 65mm | H:85mm

7W

NL 4181

12W COB LED Ceiling Surface Mounted Spot Light
CCT : 3000K | IP65
Finish: Black
D: 74mm | H:100mm

12W

NEW



NL 4189-7W

7W COB LED Ceiling Surface Mounted Spot Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D: 50mm | H:120mm

7W

NL 4189-12W

12W COB LED Ceiling Surface Mounted Spot Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D: 60mm | H:150mm

12W

NL 4189-18W

18W COB LED Ceiling Surface Mounted Spot Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D: 80mm | H:150mm

18W

DID YOU KNOW?



Beam angle is the measurement of how light spreads from a light source, such as a light bulb, and is important for controlling the distribution of light in a space

LED OUTDOOR WALL UP-DOWN LIGHT

CRETA



NL 4115

NL 4117

NL 4115

2X3W SMD LED Wall Mounted Led Up-down Light
Aluminium Die Cast Body
CCT : 3000k | IP54
Finish: Matt Black
LxBxH : 120x65x38mm


2X3W

NL 4117

2X3W SMD LED Wall Mounted Up-down Light
Aluminium Die Cast & PC Diffuser, CCT : 3000k | IP54
Finish: Matt Black
LxBxH : 156x97x38mm

2X3W

CAPE



NL 4163

NL 4164

NL 4163

2x6W LED Outdoor 2Way Wall Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH-65x140x80mm


2x6W

NL 4164

2x4W LED Outdoor 2Way Wall Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH-62x80x50mm

2x4W

DIVINE



NL 4050

NL 4051

NL 4050

1x3W Hi Power LED wall Up Light
CCT : 3000k | IP54
Finish: Graphite Grey
LxBxH: 77x49x77mm

1x3W

NL 4051


2x3W Hi Power LED Wall Up Down Light CCT : 3000k | IP54
Finish: Graphite Grey
LxBxH: 146x49x78mm

2x3W

"The light of a thousand suns was focused into a single beam of light, which pierced through the darkness and burned the evil-doers to ashes."

-Mahabharata

LED OUTDOOR WALL UP-DOWN LIGHT




NL 4174
6W LED Outdoor Wall Up Down Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D-65mm | WxH -50x150mm

6W

NL 4166
5W LED Outdoor 4Way Wall Light
Aluminium Die Cast Body
CCT: 3000K | IP54
Finish: Grey
DxWxH-55x75x75mm

5W



NL 4175
3W 2Way LED Outdoor Wall Up Down Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D-82mm | WxH -65mmx48mm

3W

DID YOU KNOW? 

In lighting, **Candela (cd)** is a unit of measurement that describes the luminous intensity of a light source in a specific direction.



NL 4238-6W
1x6W LED Outdoor 1Way Up / Down Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D: 65mm | H: 95mm

1x6W

NL 4239-12W
2x6W LED Outdoor 2Way Up & Down Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D: 65mm | H: 115mm

2x6W



NL 4240-6W
1x6W LED Outdoor 1Way Up / Down Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Black
D: 65mm | H: 100mm

1x6W

NL 4241-12W
2x6W LED Outdoor 2Way Up & Down Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Black
D: 65mm | H: 130mm

2x6W



NL 4277-12W
2x6W LED Outdoor 2Way Up & Down Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D: 50mm | H: 150mm

2x6W

NL 4277-20W
2x10W LED Outdoor 2Way Up & Down Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D: 60mm | H: 175mm

2x10W

NL 4277-30W
2x15W LED Outdoor 2Way Up & Down Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D: 60mm | H: 175mm

2x15W



NL 4278-7W
1x7W LED Outdoor 1Way Up/Down Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D : 50mm | H : 120mm

7W

NL 4278-12W
1x12W LED Outdoor 1Way Up/Down Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D : 60mm | H : 150mm

12W

NL 4278-18W
1x18W LED Outdoor 1Way Up/Down Light
Aluminium Body
CCT: 3000K | IP65
Finish: Grey
D : 80mm | H : 150mm

18W



NOTHING CAN DIM THE LIGHT THAT SHINES FROM WITHIN.



-Maya Angelou

LED OUTDOOR WALL UP-DOWN LIGHT

STORM 	NL 4177-2W 2W LED Outdoor 2 Way Wall Light Aluminum Die Cast Body CCT: 3000K IP65 Finish: Grey LxBxH-45x45x47mm 2W	
REBELLA 	NL 4178 10W LED Outdoor 2+1 Way Wall Light Aluminum Die Cast Body CCT: 3000K IP65 Finish: Grey LxBxH - 198x78x45mm 10W	
JULIET 	NL 4179 10W LED Outdoor Wall Light Aluminum Die Cast Body CCT: 3000K IP65 Finish: Grey D: 99mm H-58mm 10W	
TORRE  NL 4231-2W	NL 4231-2W 2x1W LED Outdoor Up & Down Wall Light Aluminium Die Cast Body CCT: 3000K IP65 Finish: Black LxBxH-80x76x38mm 2x1W	
 NL 4231-4W	NL 4231-4W 4x1W LED Outdoor Up & Down Wall Light Aluminium Die Cast Body CCT: 3000K IP65 Finish: Black LxBxH-80x116x38mm 2x2W	NL 4231-6W 6x1W LED Outdoor Up & Down Wall Light Aluminium Die Cast Body CCT: 3000K IP65 Finish: Black LxBxH-80x70x43mm 2x3W
 NL 4231-8W	NL 4231-8W 8x1W LED Outdoor Up & Down Wall Light Aluminium Die Cast Body CCT: 3000K IP65 Finish: Black LxBxH-80x220x47mm 2x4W	4231-10W 10x1W LED Outdoor Up & Down Wall Light Aluminium Die Cast Body CCT: 3000K IP65 Finish: Black LxBxH-80x270x50mm 2x5W
ISTOS  NL 4169-2W	NL 4169-2W 2W LED Wall Up & Down Light Aluminum Die Cast Body CCT : 3000K IP54 Finish: Matt Black LxBxH : 45x93x40mm 2W	NL 4169-8W 8W LED Wall Up & Down Light Aluminum Die Cast Body CCT : 3000k IP54 Finish: Matt Black LxBxH : 183x93x40mm 8W


"Light is the single most important factor in creating the mood of a scene."

- Dan Burkholder

HARMONY

nisarg light[®]
DESIGNED FOR SMART LIVING

FLOOR WASHER NL 4168



Features

- Aluminium Die Cast Housing
- Uniform Glow
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP65
- CRI > 80
- CCT : 3000K
- In-built Driver

FLOOR WASHER



HARMONY



NL 4161



NL 4162

NL 4161

5W LED Recessed Outdoor Floor Washer
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 115x55x85mm

5W

NL 4162

3W LED Recessed Outdoor Floor Washer
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 83x40x83mm

3W

NEW



NL 4168-4W

4W LED Outdoor Recessed Floor Washer
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 147x36x72mm

4W



NL 4168-6W

6W LED Outdoor Recessed Floor Washer
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 160x80x100mm

6W



NL 4021

3W SMD LED Recessed Floor Washer Light
Aluminium Die Cast Body
CCT : 3000k | IP 54
Finish: Matt Black
D : 115mm | H : 55mm

3W

"Light,
like life,
is made
up of
moments."

- J.R.R. Tolkien

VINIC



NL 4185



NL 4186

NL 4185

5W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 130 x 35 x 80mm

5W

NL 4186

5W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 150 x 40 x 75mm

5W



NL 4187



NL 4188

NL 4187

5W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
LxBxH: 65 x 75 x 80mm

5W

NL 4188

5W LED Surface Spot Light
Aluminium Die Cast
CCT : 3000k | IP65
Finish: Black
D : 58mm | H : 16mm

5W

FLOOR WASHER



NL 4170
4W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
Colour: 3000K | IP65
Body Colour: Black
LxBxH-90x60x40mm
4W

NL 4171
8W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
Colour: 3000K | IP65
Body Colour: Black
LxBxH-170x70x44mm
8W



NL 4172
4W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
Colour: 3000K | IP65
Body Colour: Black
LxBxH : 130x55x30mm
4W

NL 4173
8W LED Outdoor Surface Floor Washer
Aluminium Die Cast Body
Colour: 3000K | IP65
Body Colour: Black
LxBxH : 170x60x30mm
8W



COLUMN LIGHT



CREDENCE

*Without Lamp



NL 4061



NL 4062

NL 4061

E-27 LED Gate Light
Aluminium Die Cast Body ,
Frosted Pc Diffuser
IP54
Finish: Matt Black
D : 172mm | H : 190mm

NL 4062

E-27 LED Gate Light
Aluminium Die Cast Body,
Frosted Pc Diffuser
IP54
Finish: Matt Black
D : 170mm | H : 185mm

ECON

*Without Lamp



NL 4094-A



NL 4095-D

NL 4094-A

E27 LED Gate Light
Aluminum Die Cast
CCT: 3000K | IP65
Finish: Graphite Grey
WxH - 220x275mm

NL 4095-D

E27 LED Gate Light
Aluminum Die Cast
CCT: 3000K | IP65
Finish: Graphite Grey
D: 170mm | H: 230mm

SQUARON

*Without Lamp



NL 4098-A



NL 4099-A

NL 4098-A

E27 LED Gate Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 220mm | H: 225mm

NL 4099-A

E27 LED Gate Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D : 220x220mm | H : 225mm

LAVA

*Without Lamp



NL 4092-A



NL 4092-B

NL 4092-A

E27 LED Gate Light
Aluminum Die Cast
CCT: 3000K | IP65
Finish: Graphite Grey
LxBxH - 150x150x160mm

NL 4092-B

E27 LED Gate Light
Aluminum Die Cast
CCT: 3000K | IP65
Finish: Graphite Grey
LxBxH - 200x200x225mm

LED SPIKE/GARDEN LIGHT



TREEBO



NL 4319

NL 4318

NL 4319

5W Outdoor LED Spike Light
Aluminium Die Cast
CCT : 3000K | IP65
Finish: Black
D : 75mm | H : 90mm

5W

NL 4318

10W Outdoor LED Spike Light
Aluminium Die Cast
CCT : 3000K | IP65
Finish: Black
D : 75mm | H : 110mm

10W

LET LIGHT
SHINE
OUT OF
DARKNESS

NEW

BARK



NL-4316-6W

NL-4316-12W

NL-4316-6W

6W Outdoor LED Triangle Spike Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 45mm | H-66mm

6W

NL-4316-12W

12W Outdoor LED Triangle Spike Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 65mm | H-100mm

12W

NEW

LENT



NL-4317-12W

NL-4317-18W

NL-4317-12W

12W Outdoor LED Spike Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 6mm | H-120mm
Without Earth Spike

12W

NL-4317-18W

18W Outdoor LED Spike Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 65mm | H-145mm
Without Earth Spike

18W

NEW

HOODIE



NL 4315-8W

8W Outdoor LED Spike Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 50mm | H : 155mm

8W

NL 4315-15W

15W Outdoor LED Spike Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 63mm | H : 190mm

15W

NL 4315-20W

20W Outdoor LED Spike Light
Aluminium Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 63mm | H : 190mm

20W

DID YOU KNOW?




Lux is a unit of measurement for the amount of light that falls on a surface at a given distance.

ZIMO

nisarg light[®]
DESIGNED FOR SMART LIVING

LED BOLLARD LIGHT NL 4254



•Features

- Aluminium Die Cast & PC Diffuser
- Uniform Glow
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP65
- CRI > 80
- CCT: 3000K
- In-built Driver
- Height: 600mm

LED BOLLARD LIGHT

CONCORD



NL 4066

NL 4065

NL 4066

10W SMD LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP 54
Finish: Matt Black
D : 70mm | H: 390mm

10W

NL 4065

10W SMD LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP 54
Finish: Matt Black
D : 70mm | H: 500abmm

10W

REETO



NL 4067

10W SMD LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP 54
Finish: Matt Black
D : 150x150mm | H: 600mm

10W

"Light is the mirror of the soul."

- Unknown

POPUL



NL 4056

NL 4058

NL 4056

9W SMD LED Bollard Light
Aluminium Die Cast & PC Diffuser
CCT : 3000K | IP 54
Finish: Matt Black
D : 85x85mm | H: 650mm

9W

NL 4058

9W SMD LED Bollard Light
Aluminium Die Cast & PC Diffuser
CCT : 3000K | IP54
Finish: Matt Black
D : 85x85mm | H: 650mm

9W

STENT



NL 4076

NL 4059

NL 4076-B

12W LED Bollard Light
Aluminium Die Cast Body
Colour : 3000K | IP65
Body Colour: Grey
D : 95x95mm | H : 600mm

12W

NL 4059

7W SMD LED Bollard Light
Aluminium Die Cast & PC Diffuser
CCT : 3000K | IP54
Finish: Matt Black
D : 85x85mm | H: 650mm

7W

BROLLY



NL 4077 A

NL 4077 B

NL 4077 C

NL 4077 A

12W LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP65
Finish: Grey
D -150mm | H : 300mm

12W

NL 4077 B

12W LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP65
Finish: Grey
D -150mm | H : 600mm

12W

NL 4077 C

12W LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP65
Finish: Grey
D -150mm | H : 900mm

12W

BOLD



NL 4078

12W LED Bollard Light
Aluminium Die Cast Body
CCT : 3000K | IP65
Finish: Grey
D : 85mm | H : 575mm

12W

UNIQ



NL 4261-A

NL 4261-B

NL 4261-A

15W LED Bollard Light
Aluminum
CCT: 3000K | IP65
Finish: Graphite Grey
D: 80x50mm | H-600mm

15W

NL 4261-B

15W LED Bollard Light
Aluminum
CCT: 3000K | IP65
Finish: Graphite Grey
D: 80x50mm | H-900mm

15W

LED BOLLARD LIGHT



NL 4262-A

15W LED Bollard Light
Aluminum
CCT: 3000K | IP65
Finish: Graphite Grey
D: 80x50mm | H-750mm

15W

All the darkness in the world cannot
extinguish the light of a single candle.



NL 4095-A


E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88mm | H-450mm

NL 4095-B

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88mm | H-600mm

NL 4095-C

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88mm | H-900mm



NL 4096-A

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 128mm | H-300mm

NL 4096-C

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 128mm | H-800mm

NL 4096-B

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 128mm | H-500mm



NL 4097-A

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88x88mm | H-300mm

NL 4097-B

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88x88mm | H-600mm


NL 4097-C

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88x88mm | H-900mm



NL 4259

B-22 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 75mm | H-600mm



"Where there's light, there's hope;
where there's hope, there's change."

LED BOLLARD LIGHT

GREEK



*Without Lamp

NL 4098-B

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88mm | H: 450mm

NL 4098-C

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88mm | H: 600mm

NL 4098-D

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88mm | H: 900mm

See The Light In Others
& Treat Them As If That's
All You See.

Dr. Wayne Dyer

FUGO



*Without Lamp

NL 4099-A

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88x88mm | H: 450mm

NL 4099-B

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88x88mm | H: 600mm

NL 4099-C

E27 LED Lamp Bollard Light
Aluminium Die Cast & Milky Diffuser
IP65
Finish: Grey
D: 88x88mm | H: 900mm



LAVARO



NL 4251-A

10W LED Bollard Light
Aluminium Die Cast & Milky Diffuser
CCT : 3000K | IP65
Finish: Grey
D: 150mm | H: 220mm

NL 4251-B

10W LED Bollard Light
Aluminium Die Cast & Milky Diffuser
CCT : 3000K | IP65
Finish: Grey
D: 150mm | H: 500mm

NL 4251-C

10W LED Bollard Light
Aluminium Die Cast & Milky Diffuser
CCT : 3000K | IP65
Finish: Grey
D: 150mm | H: 700mm



TOON



NL 4252-A

10W LED Bollard Light
Aluminium Die Cast & Milky Diffuser
CCT : 3000K | IP65
Finish: Grey
D: 150x150mm | H: 220mm

NL 4252-B

10W LED Bollard Light
Aluminium Die Cast & Milky Diffuser
CCT : 3000K | IP65
Finish: Grey
D: 150x150mm | H: 500mm

NL 4252-C

10W LED Bollard Light
Aluminium Die Cast & Milky Diffuser
CCT : 3000K | IP65
Finish: Grey
D: 150x150mm | H: 700mm

LED BOLLARD LIGHT

NEW

SENSE



NL 4260-A NL 4260-B NL 4260-C

NL 4260-A

12W LED Bollard Light
Aluminium Die Cast
CCT : 3000K | IP 65
Finish: Grey
D : 100x100mm | H : 300mm

12W

NL 4260-B

12W LED Bollard Light
Aluminium Die Cast
CCT : 3000K | IP 65
Finish: Grey
D : 100x100mm | H : 600mm

12W

NL 4260-C

12W LED Bollard Light
Aluminium Die Cast
CCT : 3000K | IP 65
Finish: Grey
D : 100x100mm | H : 900mm


12W

**THERE IS A CRACK IN
EVERYTHING, THAT'S HOW
THE LIGHT GETS IN.**

-LEONARD COHEN

NEW

FINO



NL 4257-A NL 4257-B NL 4257-C

NL 4257-A

12W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 140mm | H-305mm

12W

NL 4257-B

12W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 140mm | H-610mm

12W

NL 4257-C

12W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
D : 140mm | H-915mm

12W

NEW

GROOM



NL 4253

12W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
H-600mm

12W

NEW

ZIMO



NL 4254

12W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
H-600mm

12W

"Like a sunbeam breaking through the clouds,
so too can our inner light illuminate our path."
- Unknown

NEW

HYDRA



NL 4255

12W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
H-600mm

12W

NEW

GAMP



NL 4256

24W LED Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
H-600mm

24W

NEW

APPO



NL 4258

12W LED Decorative Bollard Light
Aluminum Die Cast Body
CCT: 3000K | IP65
Finish: Grey
H-600mm

12W




ECLIPSE

MODERN POLE LIGHT

NL 4453/ NL 4456

nisarg light[®]
DESIGNED FOR SMART LIVING




•Features

- Aluminium & G.I. Pole
- High PF Driver
- Surge Protection > 6KV
- Protection Rating : IP65
- CRI > 80
- CCT : 3000K
- Pole Height : 2400mm / 3000mm / 3600mm
- Pole Dia : 114x75mm / 60mm

MODERN POLE LIGHT

MODERNA



NL 4441-A

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 2400mm

NL 4441-B

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3000mm

NL 4441-C

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3600mm

"Light is the purest and most profound gift of nature."

- Leon Theremin

BULING



NL 4442-A

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 2400mm

NL 4442-B

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3000mm

NL 4442-E

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3600mm

NL 4442-C

2 x 50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 2 x 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 2400mm


NL 4442-D

2 x 50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 2 x 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3000mm

NL 4442-F

2 x 50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 2 x 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3600mm

NEW ECLIPSE



NL 4456-A

36W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 36W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 2400mm

NL 4456-B

36W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 36W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3000mm

NL 4456-C

36W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 36W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3600mm

DID YOU KNOW?



Color temperature CCT is a way to describe the color of light emitted by a light source, measured in Kelvins (K).

NEW YELENA



NL 4453-A



50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 75mm | Height : 2400mm

NL 4453-B

50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI 50W
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 75mm | Height : 3000mm




MODERN POLE LIGHT

NEW STARE 	NL 4440-A 24W LED Modern Pole Light Body Material : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 150x100mm H : 1800mm 24W	NL 4440-B 36W LED Modern Pole Light Body Material : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 150x100mm H : 2400mm 36W
	NL 4440-C 50W LED Modern Pole Light Body Material : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 150x100mm H : 3000mm 50W	DID YOU KNOW?  Light is a type of electromagnetic radiation that allows the human eye to see or makes objects visible.
	"Light is the most divine of all the gifts of nature. It is the most beautiful, the most useful, and the most necessary." 	
NEW VIBRO 	NL 4454-A 50W LED Modern Pole Light Head : Aluminium Die Cast Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 60mm Height : 2400mm 50W	NL 4454-B 50W LED Modern Pole Light Head : Aluminium Die Cast Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 60mm Height : 3000mm 50W
	NL 4454-C 50W LED Modern Pole Light Head : Aluminium Die Cast Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 60mm Height : 3600mm 50W	
ULTRON 	NL 4451-A 36W LED Classic Pole Light Head : MS Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 114mm & 75mm Height : 2400mm 36W	
	NL 4451-B 36W LED Classic Pole Light Head : MS Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 114mm & 75mm Height : 3000mm 36W	
AGISTA 	NL 4452-A 36W LED Classic Pole Light Head : MS Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 114mm & 75mm Height : 2400mm 36W	
	NL 4452-B 36W LED Classic Pole Light Head : MS Pole : GI CCT: 3000K IP65 Finish: Grey Pole Dia : 114mm & 75mm Height : 3000mm 36W	

MODERN POLE LIGHT

NEW

INVERTO



NL 4455-A
50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT: 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 2400mm

50W

NL 4455-B
50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT: 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3000mm

50W

NL 4455-C
50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT: 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3600mm

50W

NL 4455-D
2x50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT: 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 2400mm

2x50W

NL 4455-E
2x50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT: 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3000mm

2x50W

NL 4455-F
2x50W LED Modern Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT: 3000K | IP65
Finish: Grey
Pole Dia : 60mm | Height : 3600mm

2x50W

MODULA



NL 4445-A
50W LED Modern Street Light
Body Material : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 100mm x 100mm | Height : 3000mm

50W

NL 4445-B
50W LED Modern Street Light
Body Material : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 100mm x 100mm | Height : 3600mm

50W





NL 4446-A
50W LED Modern Street Light
Body Material : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 100mm x 100mm
Height : 3000mm

50W

NL 4446-B
50W LED Modern Street Light
Body Material : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 100mm x 100mm
Height : 3600mm

50W

NL 4446-C
2x50W LED Modern Street Light
Body Material : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 100mm x 100mm
Height : 3000mm

2 x 50W

NL 4446-D
2 x 50W LED Modern Street Light
Body Material : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 100mm x 100mm
Height : 3600mm


2 x 50W



One year warranty for all the above products

www.nirvanalighting.in/nisarg

MODERN POLE LIGHT




NL 4443-A
36W LED Modern Pole Light
Body Material : GI & Polycarbonate / Milky Diffuser 36W
Colour : 3000K | IP65
Body Colour: Grey
Pole Dia : 75mm | H: 2400mm (1500+900mm)

NL 4443-B
50W LED Modern Pole Light
Body Material : GI & Milky Diffuser 50W
Colour : 3000K | IP65
Body Colour: Grey
Pole Dia : 100mm | H: 3000mm (2100+900mm)



NL 4444-A
36W LED Modern Pole Light
Body Material : GI 36W
Colour : 3000K | IP65
Body Colour: Grey
Pole Dia : 100mm X100mm | Height : 2400mm

NL 4444-B
50W LED Modern Pole Light
Body Material : GI 50W
Colour : 3000K | IP65
Body Colour: Grey
Pole Dia : 100mm X100mm | Height : 3000mm



CLASSIC POLE LIGHT

NEBULA



NL 4447-A

50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 4000mm

50W

NL 4447-C

2 x 50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 4000mm

2 x 50W

NL 4447-D

2 x 50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 5000mm

2 x 50W

NL 4447-B

50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 5000mm

50W



MEGA



NL 4448-A

50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 4000mm

50W

NL 4448-B

50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 5000mm

50W

NL 4448-C

2 x 50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 4000mm

2 x 50W

NL 4448-D

2 x 50W LED Classic Pole Light
Head : Aluminium Die Cast
Pole : GI
CCT : 3000K | IP65
Finish: Grey
Pole Dia : 114mm & 60mm
Height : 5000mm

2 x 50W



CLASSIC POLE LIGHT

AVALON



NL 4449-A

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT : 3000K | IP65

Finish: Grey

Pole Dia : 60mm | Height : 2400mm

50W

NL 4449-B

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT : 3000K | IP65

Finish: Grey

Pole Dia : 60mm | Height : 3000mm

50W



TOWER



NL 4450-A

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT : 3000K | IP65

Finish: Grey

Pole Dia : 114mm & 60mm | Height : 2400mm

50W

NL 4450-B

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT : 3000K | IP65

Finish: Grey

Pole Dia : 114mm & 60mm | Height : 3000mm

50W

Let your light shine everyday!!!

NEW

ITALIA



NL 4457-A

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT: 3000K | IP65

Finish: Grey

Pole Dia : 114mm & 75mm | Height : 2400mm

50W

NL 4457-B

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT: 3000K | IP65

Finish: Grey

Pole Dia : 114mm & 75mm | Height : 3000mm

50W

NL 4457-C

50W LED Classic Pole Light

Head : Aluminium Die Cast

Pole : GI

CCT: 3000K | IP65

Finish: Grey

Pole Dia : 114mm & 75mm | Height : 3600mm

50W








DID YOU KNOW?



The Color Rendering Index (CRI) is a measurement of how well a light source renders colors compared to natural light.



POST TOP

 NL 4441-H1 NL 4442-H1	NL 4441-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 400mm H : 300mm Pipe Dia : 60mm 50W	NL 4442-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 400mm H : 100mm Pipe Dia : 60mm 50W
 NL 4449-H1 NL 4450-H1	NL 4449-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 325mm H : 450mm Pipe Dia : 60mm 50W	NL 4450-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 500mm H : 700mm Pipe Dia : 60mm 50W
 NL 4451-H1 NL 4452-H1	NL 4451-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 500mm H : 425mm Pipe Dia : 75mm 50W	NL 4452-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 500mm H : 425mm Pipe Dia : 75mm 50W
NEW  NL 4454-H1 NL 4455-H1	NL 4454-H1 50W LED Decorative Post Top Light Head : Aluminium Die Cast CCT: 3000K IP65 Finish: Grey Dia : 350mm Height : 100mm Pole Dia : 60mm 50W	NL 4455-H1 50W LED Decorative Post Top Light Head : Aluminium Die Cast CCT: 3000K IP65 Finish: Grey Dia : 300mm Height : 200mm Pole Dia : 60mm 50W
NEW  NL 4455-H2	NL 4455-H2 2x50W LED Decorative Post Top Light Head : Aluminium Die Cast CCT: 3000K IP65 Finish: Grey Dia : 660mm Height : 100mm Pole Dia : 60mm 2x50W	"The light shines in the darkness, and the darkness has not overcome it." - John 1:5
NEW  NL 4456-H1	NL 4456-H1 36W LED Decorative Post Top Light Head : Aluminium Die Cast CCT: 3000K IP65 Finish: Grey Dia : 350mm Height : 200mm Pole Dia : 60mm 36W	NL 4453-H1 50W LED Decorative Post Top Light Head : Aluminium Die Cast CCT: 3000K IP65 Finish: Grey Dia : 450mm Height : 650mm Pole Dia : 75mm 50W
 NL 4448-H1	NL 4448-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 525mm H : 450mm Pipe Dia : 38mm 50W	NL 4448-H2 E27 LED Decorative Post Top IP65 D : 525mm H : 450mm Pipe Dia : 38mm *Without Lamp
 NL 4447-H1	NL 4447-H1 50W LED Decorative Post Top CCT : 3000K IP65 D : 500mm H : 400mm Pipe Dia : 38mm 50W	NL 4447-H2 E27 LED Decorative Post Top IP65 D : 500mm H : 400mm Pipe Dia : 38mm *Without Lamp

FLASH

LED FLOOD LIGHT NL 2299

nisarg light[®]
DESIGNED FOR SMART LIVING



Features

- Aluminium Die Cast Housing
- High PF Driver
- Built-In Driver
- Surge Protection > 4KV
- Protection Rating : IP65
- CRI > 80
- CCT : 6000K

LED FLOOD LIGHT

NEW

FLASH



NL 2299-50W

50W SMD LED Flood Light
Aluminium Die Cast Body
IP65
Finish : 6000k
Body Color : Grey
LxBxH - 202x182x35mm

50W



NL 2299-100W

100W SMD LED Flood Light
Aluminium Die Cast Body
IP65
Finish : 6000k
Body Color : Grey
LxBxH - 270x240x35mm

100W

FLAKE



NL 2298

30W SMD LED Flood Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Grey
LxBxH: 200x180x60mm

30W

NL 2298-A

50W SMD LED Flood Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Grey
LxBxH: 175x220x40mm

50W

NL 2298- B

100W SMD LED Flood Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Grey
LxBxH: 225x285x40mm

100W

NL 2298-C

150W SMD LED Flood Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Grey
LxBxH: 305x285x70mm

150W

NL 2298-D

200W SMD LED Flood Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Grey
LxBxH: 345x325x80mm

200W

Dark, light, the only difference is a flip of a switch, will you flip it



TURBO



NL 2263

30W SMD LED Flood Light
Aluminium Die Cast Body
IP65
CCT : 6000k
Finish : Grey

30W

NL 2264

50W SMD LED Flood Light
Aluminium Die Cast Body
IP65
CCT : 6000k
Finish : Grey

50W

DRIVE



NL 2297


300W SMD LED Flood Light
Aluminium Die Cast Body
IP65
CCT : 6000K
Finish : Grey

300W

NL 2297-A

400W SMD LED Flood Light
Aluminium Die Cast Body
IP65
CCT : 6000K
Finish : Grey


400W



SMART

LED STREET LIGHT NL 2329

nisarg light[®]
DESIGNED FOR SMART LIVING



Features

- Aluminium Die Cast Housing
- High PF Driver
- Built-In Driver
- Surge Protection > 4KV
- Protection Rating : IP65
- CRI > 80
- CCT : 6000K

LED STREET LIGHT



NEW
SMART



NL 2329-24W

24W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey

24W

NL 2329-36W

36W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey

36W

NL 2329-50W

50W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey

50W

GLINT

PC BODY




NL 2346

20W LED Street Light
PC Body
IP65
CCT : 6500K
Finish : Grey

20W

“Give Light
and People
will find
the way.”



SUPER ECO LENS LED STREET LIGHT



NL 2347-24W
24W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey
Pipe Size: 40mm

NL 2347-36W
36W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey
Pipe Size: 45mm

NL 2347-50W
50W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey
Pipe Size: 45mm



LENS LED STREET LIGHT (Backside Driver System)



NL 2330-24W
24W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey
LxH - 360x50mm | Pipe Dia - 45mm

NL 2330-50W
50W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey
LxH - 485x50mm | Pipe Dia - 45mm

NL 2330-36W
36W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Grey
LxH - 410x50mm | Pipe Dia - 45mm

DID YOU KNOW?



LED stands for light-emitting diode, a semiconductor device that emits light when an electrical current passes through it.

"Lights are the poets of the night, painting the sky with their verses
and filling our souls with their music."



SUPER ECO LENS LED STREET LIGHT




NL 2328-24W
24W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Black
24W

NL 2328-50W
50W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Black
50W

NL 2328-36W
36W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Black
24W

DID YOU KNOW? 
Luminous flux is a measure of the total amount of light emitted by a light source, measured in lumens (lm).




NL 2339-24W
24W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Black
LxH- 319x87mm | Pipe Dia - 100mm
24W

NL 2339-50W
50W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K |
IP65
Finish : Black
LxH- 457x100mm | Pipe Dia - 100mm
50W

NL 2339-36W
36W SMD LED Street Light
Aluminium Die Cast Body
CCT : 6000K
IP65
Finish : Black
LxH- 348x87mm | Pipe Dia - 100mm
36W

"Light is the whisper of the divine, guiding us through life's darkest nights."
- Unknown



LED Highbay Light



ILLUME



NL 2271

100W SMD LED High Bay Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Black
D: 251mm | H: 200mm

100W

ERCU



NL 2276


150W SMD LED High Bay Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Black
D: 360mm | H: 180mm

150W

NL 2277

100W SMD LED High Bay Light
Aluminium Die Cast Body
CCT : 6000K | IP65
Finish : Black
D: 255mm | H: 105mm

100W



CEILING/ WALL LIGHT



NL 2206-10W

10W SMD LED Surface Light
PC Body
CCT : 3000K | 6000K | IP44
Finish : White | Black
LxBxH : 150x175x55mm

10W

NL 2206-15W

15W SMD LED Surface Light
PC Body
CCT : 3000K, 6000K | IP44
Finish : White | Black
LxBxH : 200x200x55mm

15W

THE SHADOW IS
THE GREATEST
TEACHER FOR HOW
TO COME
TO THE LIGHT.

-RAM DASS



NL 2209-7W

Moonlight : 4"
7W LED Surface Mounted Light,
PC Body
CCT : 6000K | IP44
Finish : White
DxH : 100x40mm

7W

NL 2209-18W

Moonlight : 6"
18W LED Surface Mounted Light,
PC Body
CCT : 6000K | IP44
Finish : White
DxH : 150x40mm

18W

NL 2209-22W

Moonlight : 8"
22W LED Surface Mounted Light,
PC Body
CCT : 6000K | IP44
Finish : White
DxH : 200x40mm

22W



NL 2207

12W SMD LED Surface Ceiling
PC Body
CCT : 3000K | 6000K | IP44
Finish : White
D : 176mm | H : 55mm

12W

NL 2208

18W SMD LED Surface Ceiling
CCT : 3000K | 6000K | IP44
Finish : White
D : 210mm | H : 55mm

18W

CEILING/ WALL LIGHT



HELMET



NL 4086

15W SMD LED Capsule Bulk-head,
PC body
CCT : 3000K | 6000K | IP54
Finish : White
LxBxH : 201x201x68

15W



NL 4088

15W LED Capsule Bulk-head,
PC Body
CCT : 6000K | IP44
Finish : White
LxBxH : 207x98x55mm

15W

EGOSS



NL 4087

10W LED Bulk-head Light,
PC Body
CCT : 3000K, 6000K | IP44
Finish : White / Black
LxBxH: 175x95x50mm


10W



NL 4089

10W LED Bulk-head Light
PC Body
CCT : 3000K, 6000K | IP44
Finish : White / Black
LxBxH: 175x95x50mm

10W



NL 4093-6W

NL 4093-10W

NL 4093-6W

6W LED Bulk-head Light
PC Body
CCT : 3000K, 6000K | IP44
Finish : Grey
LxBxH: 125x95x50mm

6W

NL 4093-10W

10W LED Bulk-head Light
PC Body
CCT : 3000K, 6000K | IP44
Finish : Grey
LxBxH: 175x95x50mm

10W

Darkness cannot
survive in light,
but a light can
shine in the dark!

- Author: Odille Rault



SPECIAL PROMOTIONAL ITEMS

	NL 1013 5W MR16 Retro t Lamp D: 50mm H: 52mm (Without Driver) CCT: 3K/4K/6K	5W
	NL 1015 15W Retro t Lamp with Driver CCT: 3K/4K	15W
	NL 1002 1W LED Fixed Spot Light D-38x38mm / H-30mm / C-28mm CCT: 3K/4K	1W
	NL 1008 3W Hi-Power LED Ceiling CCT : 3K IP20 Finish : White / Black D: 42mm H: 32mm C: 34mm	3W
	NL 1121 8W COB LED Spot Light D-83mm H-55mm C-69mm CCT: 3K/4K/6K	8W
	NL 1144 12W COB LED CCT : 3K/4K/6K/TW IP20 D: 85mm H: 75mm C : 75mm	12W
	NL 1201 13W COB LED Spot Light D : 78mm H : 105mm C : 70mm CCT: 3K/4K/6K	13W
	NL 1257 10W COB LED Fixed Spot Light D-95mm H-100mm C-93mm	10W
	NL 1258 10W COB LED Fixed Spot Light D-95x95mm H-100mm C-93x93mm CCT: 3K/4K/6K	10W
	NL 1206 13W COB LED Spot Light D : 99x99mm H : 105mm C: 94x94mm CCT: 3K/4K/6K	13W
	NL 1410 10W COB LED Fixed Spot Light D-85mm H-100mm C-79mm CCT: 3K/4K/6K	10W

DID YOU KNOW?



Kelvin (K) is the unit used to measure the color temperature of a light source, and it's used to describe how warm or cool a light appears.

	NL 1147 9W COB LED Ceiling Recessed Adjustable Spot Light CCT : 3K/4K/6K IP20 D: 92mm H : 87mm C : 82mm	9W
	NL 1148 9W COB LED Ceiling Recessed Adjustable Spot Light CCT : 3K/4K/6K IP20 D: 89x89mm H : 87mm C : 77x77mm	9W
	NL 1149 9W COB LED Wall Washer CCT : 3K/4K/6K IP20 D: 91mm H : 105mm C : 83mm	9W
	NL 1177 12W COB LED Spot Light CCT : 3K/4K/6K IP20 D: 80x80mm H : 85mm C : 73x73mm	12W
	NL 1255 10W COB LED Adjustable Spot Light D-95mm H-75mm / C-65mm CCT: 3K/4K/6K	10W
	NL 1256 10W COB LED Adjustable Spot Light D-95x95mm H-75mm C-65x65mm CCT: 3K/4K/6K	10W
	NL 1126 10W COB LED Spot Light D : 93x93mm H : 55mm C : 73mm CCT: 3K/4K/6K	10W
	NL 1207 15W COB LED Spot Light D : 115x115mm H : 90mm C: 100x100mm CCT: 3K/4K/6K	15W
	NL 1209 18W COB LED Down Light D: 85mm H: 75mm C: 75mm CCT: 3K/4K/6K	18W
	NL 1263 13W Spot Light D: 96x96mm H: 75mm C: 72mm CCT: 3K/4K	13W
	NL 1262 13W Spot Light D: 82mm H: Ø77mm C: Ø72mm CCT: 3K/4K/6K	13W
	NL 2226 6W COB Spot Light CCT : 4K IP20 D: 66x66mm H: 33mm C: 55x55mm	6W
	NL 2229 18W COB Spot Light CCT : 3K/4K IP20 D: 110mm H: 65mm C: 90mm	18W



SPECIAL PROMOTIONAL ITEMS

nisarg light®

DESIGNED FOR SMART LIVING

	NL 2232 32W COB LED Downlight CCT : 3K IP20 D: 195mm H: 96mm C: Ø180mm	32W
	NL 2191-24W 24W COB LED CCT - 3K/4K IP20 D: 120mm H: 75mm C: Ø105mm	24W
	NL 2191-30W 30W COB LED CCT - 3K/4K IP20 D: 138mm H: 80mm C: Ø120mm	30W
	NL 1075 10W LED Spot Adjustable Spot Light D-95mm / H-115mm / C-80mm CCT: 3K/4K/6K	10W
	NL 1076 10W LED Spot Adjustable Spot Light D-95x95mm H-115mm C-85x85mm CCT: 3K/4K/6K	10W
	NL 1109 10W COB LED Pin Spot Light D : 93mm H : 55mm C : 73mm CCT: 3K/4K/6K	10W
	NL 1111 10W COB LED Spot Light D : 85mm H : 95mm C : 75mm CCT: 3K/4K/6K	10W
	NL 1128 24W COB LED Down Light D : 140mm H : 85mm C : 120mm CCT: 3K/4K/6K	24W
	NL 1132 35W COB LED Down Light D-170mm H-95mm C-160mm CCT: 3K/4K/6K	35W
	NL 1161 15W COB LED Down Light D : 110mm H : 80mm C : 100mm CCT: 3K/4K/6K	15W
	NL 1162 18W COB LED Down Light D : 140mm H : 95mm C : 110mm CCT: 3K/4K/6K	18W
	NL 1163 24W COB LED Down Light D : 160mm H : 100mm C : 120mm CCT: 3K/4K/6K	24W
	NL 1167 18W COB LED Down Light D : 140mm H : 120mm C : 110mm CCT: 3K/4K/6K	18W
	NL 1168 24W COB LED Down Light D : 160mm H : 120mm C : 110mm CCT: 3K/4K/6K	24W

	NL 2001 10W, COB LED Down Light D : 103x103mm H : 130mm C : 106x106mm Finish : White CCT: 3K/4K/6K	10W
	NL 1301 22W COB LED Adjustable Spot Light D-135mm H-135mm C-115mm CCT: 3K/4K/6K	22W
	NL 1308 22W COB LED Down Light D : 135x135mm H : 130mm C : 115x115mm CCT: 3K/4K/6K	22W
	NL 1325 18W COB LED Zoom Light D : 135mm H : 88mm C : 119mm CCT: 3K/4K/6K	18W
	NL 1140-15W 15W COB LED CCT -3K/4K/6K IP20 D: 175x175mm H:120mm C: 165x165mm	15W
	NL 1141-2x15W 2x15W COB LED CCT -3K/4K/6K/TW IP20 D: 324x175mm H:120mm C: 310x165mm	2x15W
	NL 1333 10W COB LED Track Spot Light D-55mm H-110mm CCT: 3K/4K/6K	10W
	NL 1337 10W COB LED Track Spot Light D-62mm H-155mm CCT: 3K/4K/6K	10W
	NL 1336 36W/42W COB LED Track Spot Light D-112mm H-229mm CCT: 3K/4K/6K	36W/42W
	NL 1083 30W Hi-Power LED Down Light D : 153mm H : 120mm C : 135mm CCT: 3K/4K/6K	30W
	NL 1084 30W Hi-Power LED Down Light D : 153x153mm H : 120mm C : 138x138mm CCT: 3K/4K/6K	30W

DID YOU KNOW?



A **driver** is a device that converts the electricity supply to a form that's suitable for an LED light to operate.

LEDs are designed to run on low voltage (12-24V) DC electricity, but most power supplies provide higher voltage (120-277V) AC electricity. Without a driver, the mains power would be too strong and damage the LED.



SPECIAL PROMOTIONAL ITEMS

nisarg light®

DESIGNED FOR SMART LIVING

	NL 1082 15W Hi-Power LED Down Light D : 128x128mm H : 115mm C : 115x115mm CCT: 3K/4K/6K	15W
	NL 2281 12W SMD LED CCT Temp : 4K IP20 D: 95mm H : 35mm C: 70mm	12W
	NL 2282 18W SMD LED CCT Temp : 4K/6K IP20 D: 128mm H : 22mm C: 100mm	18W
	NL 2283 22W SMD LED CCT Temp : 4K/6K IP20 D: 165mm H : 22mm C: 138mm	22W
	NL 2284 12W SMD LED Panel Light CCT Temp : 4K/6K IP20 D: 95x95mm H : 35mm C: 70x70mm	12W
	NL 2285 18W SMD LED CCT Temp : 4K/6K IP20 D: 128x128mm H : 22mm C: 100x100mm	18W
	NL 2286 22W SMD LED CCT Temp : 4K IP20 D: 165x165mm H : 22mm C: 138x138mm	22W
	NL 2243 22W SMD LED Slim Trim PC Panel Light CCT : 4K/6K IP20 D: 215mm H: 33mm C: 203mm	22W
	NL 2244 8W SMD LED Slim Trim PC Panel Light CCT : 4K IP20 D: 112x112mm H: 30mm C: 96x96mm	8W
	NL 2245 15W SMD LED Slim Trim PC Panel Light CCT : 4K IP20 D: 162x162mm H: 30mm C: 146x146mm	15W
	NL 2246 22W SMD LED Slim Trim PC Panel Light CCT : 4K IP20 D: 215x215mm H: 33mm C: 203x203mm	22W
	NL 2236 48W 2x2 SMD LED Panel Light CCT: 6K D : 595 x 595mm H : 10mm	48W
	NL 2202 6W, SMD LED Recessed Down Light PC Ring & Galvanised CCT: 3K/4K/6K D : 110mm H : 40mm C : 98mm	6W

	NL 2203 10W, SMD LED Recessed Down Light PC Ring & Galvanised CCT: 3K/4K/6K D-155mm H-55mm C-146mm	10W
	NL 2210 8W SMD LED Slim trim Panel Light CCT : 6K IP20 D:95mm H : 21mm C:75mm	8W
	NL 2212 16W SMD LED Slim trim Panel Light IP20 CCT: 3K/6K D: 150mm H : 21mm C: 130mm	16W
	NL 2215 8W SMD LED Ceiling Slim trim Panel Light IP20 CCT: 3K/4K/6K D: 95x95mm H : 21mm C: 75x75mm	8W
	NL 2219 24W SMD LED Ceiling Slim trim Panel Light IP20 CCT: 3K/4K/6K D: 200x200mm H : 21mm C: 180x180mm	24W
	NL 2202 15W SMD LED Panel Light CCT : 4K 6K D : 170mm H : 25mm C : 146mm	15W
	NL 2205 15W, SMD LED Panel Light CCT : 4K 6K D: 170x170mm H: 25mm C: 146x146mm	15W
	NL 1153 15W CCT : 4K / 6K SMD LED Down Light D : 181x181mm H : 25mm C : 161x161mm	15W
	NL 1506 6W Indoor Surface mounted Wall Light IP20 Finish : White CCT: 3K	6W
	NL 1507 3W Indoor Surface mounted Wall Light IP20 Finish : White CCT: 3K	3W
	NL 1501 3W Indoor Surface mounted Wall Light IP20 Finish : White CCT: 3K	3W
	NL 1502 10W Indoor Surface mounted Wall Light IP20 Finish : White CCT: 3K	10W
	NL 1505 6W Indoor Surface mounted Wall Light IP20 Finish : White CCT: 3K	6W



SPECIAL PROMOTIONAL ITEMS

	NL 2301 5W T-5 Linkable LED Tube Light Extrusion & PC Aluminium IP20 Length : 1 Feet CCT :3K 4K 6K	5W
	NL 2305 6W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP20 Length : 1 Feet CCT : 4K 6K	6W
	NL 2302 9W T-5 Linkable LED Tube Light Extrusion & PC Aluminium IP20 Length : 2 Feet CCT : 6K	9W
	NL 2306 12W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP20 Length : 2 Feet CCT : 4K 6K	12W
	NL 2311 18W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP20 CCT : 6K Length : 2 Feet.	18W
	NL 2315 9W T-5 LED Batten Tube Light PC Body IP20 CCT : 4K 6K Length : 2Feet	9W
	NL 2319 20W T-5 LED Batten Tube Light PC Body IP20 CCT : 4K 6K Length : 4Feet	20W
	NL 9001B 36W SMD LED Suspended Light LxBxH : 1153x43x64mm	36W
	NL 5040 5W/Mtr 2835 LED Strip 60 LED/MTR CCT: Amber	5W/Mtr
	NL 5043 15W/Mtr 2835 LED Strip 60 LED/MTR CCT: 2700K	15W/Mtr
	NL 2319 20W T-5 LED Batten Tube Light PC Body IP20 Length: 4Feet Colour Temp : 4K/6.5K	20W
	NL 4320 5W COB LED Spike Light Color :3k/Green IP65 Body Color : Black D:60mm H :346mm	5W
	NL 1149 10W COB LED Colour : 3K/4K/6K/TW IP20 D: 91mm H : 105mm C : 83mm	SINGLE 10W

	NL 4007 40W : G9 Halogen (GU10) w/o bulb D : 108x108mm H : 112mm IP44 CCT: 3K	40W
	NL 4015 5W LED Wall light D : 110x110mm H :93mm CCT: 3K IP65	5W
	NL 4016 9W LED Wall Light D :55x110mm / H : 161mm IP54 CCT: 3K	9W
	NL 4023 5W, Recessed Wall Light Finish: Graphite CCT: 3K D: 66x73mm H:171mm IP65	5W
	NL 4030 3W Hi Power LED Recessed Floor Washer Light Aluminium Die Cast Body CCT : 3000K IP54 Finish: Matt Black D : 70x70mm H : 44mm	3W
	NL 4060 7W SMD LED Bollard Light Aluminium Die Cast & PC Diffuser CCT : 3000K IP54 Finish: Matt Black D : 85x85mm H: 650mm	7W
	NL 4008 7W, LED Bollard Light Finish: Graphite Black CCT: 3K D: 75x75mm H: 600mm IP54	7W
	NL 4026 5W, LED Bollard Light Finish: Graphite Black CCT: 3000K D: 120x40mm H: 650mm IP54	5W
	NL 4085 8W SMD LED Wall Light CCT : 3K 6K IP54 Finish : White D: 166x76x62mm	8W
	NL 2260 50W SMD LED Flood Light Aluminium Die Cast Body IP65 CCT : 6000K Finish : Grey	50W
	NL 2296 30W SMD LED Flood Light Aluminium Die Cast Body IP65 CCT : 6000K Finish : Black	30W
	NL 2275 100W SMD LED High Bay Light Aluminium Die Cast Body CCT : 6000K IP65 Finish : Black D: 310 H: 175mm	100W

DID YOU KNOW?



We have been dedicated to providing innovative and energy-efficient lighting solutions to customers across the country.

[illegible]

[illegible]

[illegible]

TERMS & CONDITIONS

- 1) The images in price list / catalogue are for representational purpose only. Product dimensions and colour may vary from that shown in catalogue.
- 2) Customers are advised to buy a physical sample before placing the final order of the product for smoother transaction.
- 3) In case of purchase of any fixture with dimmable driver, the customers are advised to check the "Automation Compatibility" by buying a sample first to avoid any issue later and also check the driver's "Fixture Cut-Out" compatibility as some of the drivers may not go inside the cut out made for the fixture and needs to be kept at a suitable distance.
- 4) The company reserves the right to withdraw any product from the market or change the prices without giving any notice.
- 5) MRP is inclusive of all taxes.
- 6) Warranty:
 - a. All indoor products are covered under warranty for 2 years (24 months) from the date of invoice against any manufacturing defects.
 - b. Outdoor products are covered under warranty for 1 year / 2 year as mentioned against each product.
 - c. Product without wire label / hologram will be treated as out of warranty. Damaged or tempered products will be considered as out of warranty. Warranty is valid on led fixture and led driver only if purchased together.
 - d. The replacement within warranty shall be for driver or LED fixtures whichever is defective.
- 7) Warranty Would Be Void If :-
 - a. Product is exposed to high voltage surge.
 - b. Any drilling or welding operation is carried after installation of fixture.
- 8) In case of any malfunctioning of product the company's liability would be limited to the replacement of the product.
- 9) Free Delivery by surface transport having invoice value above rupees 20000/- (Excluding GST) only (Except Profile & Pole). Delivery by any other mode (Air/Train/Bus etc.) of transport or through a preferred courier/transport chosen by the buyer would be to buyer's accounts.
- 10) Profile, Bollard, Pole & Post top - Packing and Transportation Extra as actual.
"The Freight cost for Profiles, Poles and Post Top (Head) Would be extra at actual. Irrespective of Invoice Value.
- 11) Outdoor Products May have different colour finish on the fixture, kindly buy a sample before placing the order.
- 12) Spares: It is advisable to keep stock of spare drivers which are of regular use for prompt customer service.
- 13) Return Policy: Material Returned will not be accepted unless the goods are defective and under warranty. The customer has to inform in writing prior to sending defective material.
- 14) Invoicing & Packing: Customer should send material along with proper invoice for repair with appropriate packing / protection so that product doesn't get damaged in transit.
- 15) Shortage: If any issue / physical damage / mismatch occurs in dispatched material customer should inform within a day of receipt of material
- 16) Nirvana Lighting Pvt. Ltd. in any case will try everything in its power to ensure all data and information herein are correct and up to date, yet to shall not be accountable if, regardless of proof reads, there should be inaccuracy or errors.
- 17) All disputes are subject to Mumbai Jurisdiction only.

निसर्ग लाइट®

DESIGNED FOR SMART LIVING



An Initiative By
NIRVANA LIGHT®
Enlighten Your Life

NIRVANA LIGHTING PVT. LTD.

Regd. Office : 1301, Synergy Business Park, Sahakar Wadi,
Near Synthofine Industrial Estate, Goregoan (E), Mumbai - 400063.
Tel.: +91 22 4969 6903

Factory : A/52-61, Royal Ind. Hub, Bhiwandi-Kaman Road,
Palghar - 401208 Maharashtra.

E : sales2@nirvanalighting.in
Customer Care : +91 93723 79819

For more information
scan this QR Code



www.nirvanalighting.in/nisarg